

Taille	OD Pouces		5s	5	10s	10	20	30	40s	40	60	80s	80	100	120	140	160	XXH
1/8	0.405	Épaisseur de Paroi		0.035	0.049	0.049			0.068	0.068		0.095	0.095					
		Poids/Pied		0.1383	0.1863	0.1863			0.2447	0.2447		0.3145	0.3145					
1/4	0.540	Épaisseur de Paroi		0.049	0.065	0.065			0.088	0.088		0.119	0.119					
		Poids/Pied		0.2570	0.3297	0.3297			0.4248	0.4248		0.5351	0.5351					
3/8	0.675	Épaisseur de Paroi		0.049	0.065	0.065			0.091	0.091		0.126	0.126					
		Poids/Pied		0.3276	0.4235	0.4235			0.5676	0.5676		0.7338	0.7338					
1/2	0.840	Épaisseur de Paroi	0.065	0.065	0.083	0.083			0.109	0.109		0.147	0.147				0.188	0.294
		Poids/Pied	0.5383	0.5383	0.6710	0.6710			0.8510	0.8510		1.088	1.088				1.31	1.714
3/4	1.050	Épaisseur de Paroi	0.065	0.065	0.083	0.083			0.113	0.113		0.154	0.154				0.219	0.308
		Poids/Pied	0.5383	0.6838	0.8572	0.8572			1.131	1.131		1.474	1.474				1.94	2.441
1	1.315	Épaisseur de Paroi	0.065	0.065	0.109	0.109			0.133	0.133		0.179	0.179				0.250	0.358
		Poids/Pied	0.8678	0.8678	1.404	1.404			1.679	1.679		2.172	2.172				2.844	3.659
1-1/4	1.660	Épaisseur de Paroi	0.065	0.065	0.109	0.109			0.140	0.140		0.191	0.191				0.250	0.382
		Poids/Pied	1.107	1.107	1.806	1.806			2.273	2.273		2.997	2.997				3.765	5.214
1-1/2	1.900	Épaisseur de Paroi	0.065	0.065	0.109	0.109			0.145	0.145		0.200	0.200				0.281	0.400
		Poids/Pied	1.274	1.274	2.085	2.085			2.718	2.718		3.631	3.631				4.859	6.408
2	2.375	Épaisseur de Paroi	0.065	0.065	0.109	0.109			0.154	0.154		0.218	0.218				0.344	0.436
		Poids/Pied	1.604	1.604	2.638	2.638			3.653	3.653		5.022	5.022				7.46	9.029
2-1/2	2.875	Épaisseur de Paroi	0.083	0.083	0.120	0.120			0.203	0.203		0.276	0.276				0.375	0.552
		Poids/Pied	2.475	2.475	3.531	3.531			5.793	5.793		7.661	7.661				10.01	13.70
3	3.500	Épaisseur de Paroi	0.083	0.083	0.120	0.120			0.216	0.216		0.300	0.300				0.438	0.600
		Poids/Pied	3.029	3.029	4.332	4.332			7.576	7.576		10.25	10.25				14.32	18.58
3-1/2	4.000	Épaisseur de Paroi	0.083	0.083	0.120	0.120			0.226	0.226		0.318	0.318					0.636
		Poids/Pied	3.472	3.472	4.973	4.973			9.109	9.109		12.51	12.51					22.85
4	4.500	Épaisseur de Paroi	0.083	0.083	0.120	0.120			0.237	0.237	0.281	0.337	0.337		0.438		0.531	0.674
		Poids/Pied	3.915	3.915	5.613	5.613			10.79	10.79	12.66	14.98	14.98		19.00		22.51	27.54
4-1/2	5.000	Épaisseur de Paroi							0.247			0.355						0.710
		Poids/Pied							12.53			17.61						32.53
5	5.563	Épaisseur de Paroi	0.109	0.109	0.134	0.134	0.203		0.258	0.258		0.375	0.375		0.500		0.625	0.750
		Poids/Pied	6.349	6.349	7.770	7.770	11.62		14.62	14.62		20.78	20.78		27.04		32.96	38.55
6	6.625	Épaisseur de Paroi	0.109	0.109	0.134	0.134	0.203		0.280	0.280		0.432	0.432		0.562		0.719	0.864
		Poids/Pied	7.585	7.585	9.290	9.290	13.92		18.97	18.97		28.57	28.57		36.39		45.35	53.16
7	7.625	Épaisseur de Paroi							0.301			0.500						0.875
		Poids/Pied							23.57			38.05						63.08
8	8.625	Épaisseur de Paroi	0.109	0.109	0.148	0.148	0.250	0.277	0.322	0.322	0.406	0.500	0.500	0.594	0.719	0.812	0.906	0.875
		Poids/Pied	9.914	9.914	13.40	13.40	22.36	24.70	28.55	28.55	35.64	43.39	43.39	50.95	60.71	67.76	74.69	72.42
9	9.625	Épaisseur de Paroi							0.342			0.500						
		Poids/Pied							33.90			48.72						
10	10.750	Épaisseur de Paroi	0.134	0.134	0.165	0.165	0.250	0.307	0.365	0.365	0.500	0.500	0.594	0.719	0.844	1.000	1.125	1.000
		Poids/Pied	15.19	15.19	18.65	18.65	28.04	34.24	40.48	40.48	54.74	54.74	64.43	77.03	89.29	104.13	115.64	104.13
11	11.750	Épaisseur de Paroi							0.375			0.500						
		Poids/Pied							45.55			60.07						
12	12.750	Épaisseur de Paroi	0.156	0.165	0.180	0.180	0.250	0.330	0.375	0.406	0.562	0.500	0.688	0.844	1.000	1.125	1.312	1.000
		Poids/Pied	21.07	22.18	24.16	24.16	33.38	43.77	49.56	53.53	73.16	65.42	88.63	107.32	125.50	139.70	160.30	125.49
14	14.000	Épaisseur de Paroi	0.156		0.188	0.250	0.312	0.375	0.375	0.438	0.594	0.500	0.750	0.938	1.094	1.250	1.406	
		Poids/Pied	23.07		27.73	36.71	45.61	54.57	54.57	63.44	85.05	72.09	106.10	130.85	150.79	170.20	189.10	
16	16.000	Épaisseur de Paroi	0.165		0.188	0.250	0.312	0.375	0.375	0.500	0.656	0.500	0.844	1.031	1.219	1.428	1.594	
		Poids/Pied	27.90		31.75	42.05	52.27	62.58	62.58	82.77	107.50	82.77	136.61	164.80	192.43	223.64	245.25	
18	18.000	Épaisseur de Paroi	0.165		0.188	0.250	0.312	0.438	0.375	0.562	0.750	0.500	0.938	1.156	1.375	1.562	1.781	
		Poids/Pied	31.43		35.76	47.39	58.94	82.15	70.59	104.67	138.20	93.45	170.92	208.00	244.10	274.20	308.50	
20	20.000	Épaisseur de Paroi	0.188		0.219	0.250	0.375	0.500	0.375	0.594	0.812	0.500	1.031	1.281	1.500	1.750	1.969	
		Poids/Pied	39.78		46.27	52.73	78.60	104.10	78.60	123.11	166.40	104.10	208.90	256.10	296.40	341.10	379.17	
22	22.000	Épaisseur de Paroi	0.188		0.219	0.250	0.375	0.500	0.375		0.875	0.500	1.125	1.375	1.625	1.875	2.125	
		Poids/Pied	43.80		50.94	58.07	86.61	114.81	86.61		197.41	114.81	250.81	302.88	353.61	403.00	451.06	
24	24.000	Épaisseur de Paroi	0.218		0.250	0.250	0.375	0.562	0.375	0.688	0.969	0.500	1.219	1.531	1.812	2.062	2.344	
		Poids/Pied	55.37		63.41	63.41	94.62	140.80	94.62	171.29	238.35	125.50	296.58	367.40	429.40	483.10	542.13	
26	26.000	Épaisseur de Paroi				0.312	0.500		0.375			0.500						
		Poids/Pied				85.60	136.17		102.63			136.17						
28	28.000	Épaisseur de Paroi				0.312	0.500	0.625	0.375									
		Poids/Pied				92.26	146.85	182.73	110.64									
30	30.000	Épaisseur de Paroi	.250		0.312	0.312	0.500	0.625	0.375			0.500						
		Poids/Pied	79.43		98.93	98.93	157.53	196.08	118.65			157.53						
32	32.000	Épaisseur de Paroi				0.312	0.500	0.625	0.375	0.688		0.500						
		Poids/Pied				105.59	168.21	209.43	126.66	230.08		168.21						
34	34.000	Épaisseur de Paroi				0.312	0.500	0.625	0.375	0.688		0.500						
		Poids/Pied				112.25	178.89	222.78	134.67	244.77		178.89						
36	36.000	Épaisseur de Paroi				0.312	0.500	0.625	0.375	0.750		0.500						
		Poids/Pied				118.92	189.57	236.13	142.68	282.35		189.57						
42	42.000	Épaisseur de Paroi							0.375			0.500						
		Poids/Pied							166.71			221.61						
48	48.000	Épaisseur de Paroi							0.375			0.500						
		Poids/Pied							190.74			253.65						